



LA LINIA LIGHTING

Product Catalogue

Ring of Light IQ	5
Product Specifications.....	6-15
Color Swatches.....	13
Domelight	19
Production Process.....	20-21
Product Specifications.....	22-23
Color Swatches.....	26-27
Ring of Light Nexus	31
Color Swatches.....	32
Product Specifications.....	33-39
Ring of Light Nexus Slim	41
Product Specifications.....	43-49
Ring of Light Zero	51
Color Swatches.....	52
Product Specifications Zero X	54-56
Product Specifications Zero Y	57-59
Nexus Beam	60
Product Specifications 30x30	61-62
Product Specifications 41x41	63-64
Product Specifications 41x64	65-66
Nexus Square	67
Product Specifications	68-72
Pendant & Ceiling Lamp	75
Projects	76-77
Printed Lampshade	79
Projects	80-81
AcoustiShade	83
Product Specifications	84-85
Color Swatches	87
AcoustiRing	88-89
Industrial	91
Projects.....	92-95
Neonled & Specials	97
Projects.....	98-99
La Linia Proline	101
Projects.....	104-105
Product Specifications	106-111

La Linia Lighting

Over the last 25 years, La Linia Lighting has grown to become a leading and reliable partner for your lighting needs.

We are experts in the field of lighting and create light fixtures from textile, steel, acrylic and aluminum according to the wishes of our customers.

With about twenty talented professionals and modern computer-controlled machinery, we serve our clients in the project market in The Netherlands and neighboring countries.

Our clients include architects, lighting designers and planners, project designers, interior designers and interior decorators.

La Linia Lighting, handmade with a passion for light!



LA LINIA LIGHTING

Ring of Light IQ

Ring of Light IQ



Modern, slim lines provided with the highest quality of LED.

Endless possibilities give you the opportunity to create this architectural masterpiece entirely according to your own wishes. Pick a colour, size and even the colour of the LED. Make your own arrangement of multiple sizes and colors. You are in charge!

Contemporary techniques that are incorporated in this design ensure an always appropriate atmospheric experience. By adjusting the suspension system as desired, you determine the shape and location of the light experience yourself.

The placement of various LED modules is optional, so that you can perfectly shape the light experience to your style. For example, RGB or different white tones that can be mixed endlessly.

With the CTRL La Linia Lighting wireless controller®, the LED lights can be adjusted in colour temperature and light output. By attaching the wireless touch controller to your wall or desk, you can adjust the light output anytime you wish. You can control up to 500 Ring of Lights, with a single controller.

In short, a high quality Dutch handmade product, made by people with a passion for the beauty of light.

We hope you'll enjoy our craftsmanship.

For any questions, please do not hesitate to contact us.

*On request, the Ring of Light can also be made in different sizes, heights, colors and shapes. For example square or rectangular.

Product Specifications


- **Toppanel:**
Composite light weight aluminium
- **Diffusor:**
Satin White acrylic specialized for LED
- **Outside and Inside:**
La Lina Luxury Dual Satin © composite material,
containing PVC, Polyester and Cotton
- **Suspension:**
Galvanised steel with high grade cable holders
- **Ceilingcanopy:**
Steel coated white or black



Product Specifications



■ Art No:
ROL40030080



■ Outer Diameter:
400mm

■ Inner Diameter:
300mm

■ Height:
80mm

■ LED Power:
15W

■ Luminous Flux:
2.025lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL50040080



■ Outer Diameter:
500mm

■ Inner Diameter:
400mm

■ Height:
80mm

■ LED Power:
20W

■ Luminous Flux:
2.700lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL60050080



■ Outer Diameter:
600mm

■ Inner Diameter:
500mm

■ Height:
80mm

■ LED Power:
26W

■ Luminous Flux:
3.510lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+


■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Projects




Projects



Product Specifications

■ Art No:
ROL70060080



■ Outer Diameter:
700mm

■ Inner Diameter:
600mm

■ Height:
80mm

■ LED Power:
31W

■ Luminous Flux:
4.185lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL80070080



■ Outer Diameter:
800mm

■ Inner Diameter:
700mm

■ Height:
80mm

■ LED Power:
35W

■ Luminous Flux:
4.725lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL90080080



■ Outer Diameter:
900mm

■ Inner Diameter:
800mm

■ Height:
80mm

■ LED Power:
40W

■ Luminous Flux:
5.400lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+


■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Product Specifications



■ Art No:
ROL100090080



■ Outer Diameter:
1000mm

■ Inner Diameter:
900mm

■ Height:
80mm

■ LED Power:
44W

■ Luminous Flux:
5.940lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL1200110080



■ Outer Diameter:
1200mm

■ Inner Diameter:
1100mm

■ Height:
80mm

■ LED Power:
53W

■ Luminous Flux:
7.155lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL1400130080



■ Outer Diameter:
1400mm

■ Inner Diameter:
1300mm

■ Height:
80mm

■ LED Power:
62W

■ Luminous Flux:
8.370lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Projects



Color Swatches



Monaco 02
Satin White



Monaco 03
Satin Gold



Monaco 10
Satin Azur



Monaco 19
Satin Orange



Monaco 20
Satin Black



Monaco 34
Satin Blue



Monaco 50
Satin L. Taupe




Monaco 57
Satin Platinum



Monaco 86
Satin Champagne



Monaco 81
Satin Graphite



Monaco 82
Satin D. Taupe



Monaco 83
Satin Amber



PCW01
Matt White



PCW20
Matt Black




PCW81
Matt Anthracite

*Actual colors may vary slightly.

Product Specifications

Art No:
ROL1500140080



Outer Diameter:
1500mm

Inner Diameter:
1400mm

Height:
80mm

LED Power:
66W

Luminous Flux:
8.910lm


Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

CRI:
90+

Build in LED Driver:
Meanwell

Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Art No:
ROL1600150080



Outer Diameter:
1600mm

Inner Diameter:
1500mm

Height:
80mm

LED Power:
70W

Luminous Flux:
9.450lm


Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

CRI:
90+

Build in LED Driver:
Meanwell

Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Art No:
ROL1800170080



Outer Diameter:
1800mm

Inner Diameter:
1700mm

Height:
80mm

LED Power:
80W

Luminous Flux:
10.800lm

Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

CRI:
90+


Build in LED Driver:
Meanwell

Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Product Specifications



■ Art No:
ROL2000190080



■ Outer Diameter:
2000mm

■ Inner Diameter:
1900mm

■ Height:
80mm

■ LED Power:
90W

■ Luminous Flux:
12.150lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL2200210080



■ Outer Diameter:
2200mm

■ Inner Diameter:
2100mm

■ Height:
80mm

■ LED Power:
99W

■ Luminous Flux:
13.365lm


■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Art No:
ROL2400230080



■ Outer Diameter:
2400mm

■ Inner Diameter:
2300mm

■ Height:
80mm

■ LED Power:
110W

■ Luminous Flux:
14.850lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

Projects



Projects





LA LINIA LIGHTING

Domelight

Domelight

The Domelight is our showpiece.

Countless possible diameters, unlimited color options inside and out, available in any quantity and delivered all around Europe.

Our handmade domelight is famous not only because of the large choice in sizes, but especially because of the large range of colors and textures, both inside and out. Every domelight made by us is a piece of custom work entirely made by hand.

A structured outside of cold concrete, combined with a warm copper glow

Designer high gloss with a rough steel look finish on the inside

Smooth matt black with a gold leaf finish inside



Standard available in all RAL colors, either high gloss or super matt.

The pigments for our metallic paints are crushed in "Verfmolen De Kat".

This is the only working wind-powered paint mill in the world, in Zaanse Schans, build in 1646.

After we've finished the highly recyclable dome, the textile cord and porcelain fitting ensure a fantastic quality appearance.

You determine the atmosphere, we'll work on the rest.

Production Process




Production Process





Product Specifications

■ Art No:
Emisfero 400




■ Outer Diameter:
400mm

■ Height:
200mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 500




■ Outer Diameter:
500mm

■ Height:
250mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 600




■ Outer Diameter:
600mm

■ Height:
300mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 1000




■ Outer Diameter:
1000mm

■ Height:
500mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 1200




■ Outer Diameter:
1200mm

■ Height:
600mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 1400



■ Outer Diameter:
1400mm

■ Height:
700mm


■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

Product Specifications



■ Art No:
Emisfero 700




■ Outer Diameter:
700mm

■ Height:
350mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 800




■ Outer Diameter:
800mm

■ Height:
400mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 900




■ Outer Diameter:
900mm

■ Height:
450mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 1500




■ Outer Diameter:
1500mm

■ Height:
750mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 1600




■ Outer Diameter:
1600mm

■ Height:
800mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

■ Art No:
Emisfero 1800



■ Outer Diameter:
1800mm

■ Height:
900mm

■ Socket:
e27 Porcelain

■ Suspension:
3 Adjustable steelcables
2000mm and Electrical cord

Projects



Projects



Color Swatches



51 Gold
Pigment



52 Silver
Pigment



53 Red Copper
Pigment



54 Platinum
Pigment



55 Bronze
Pigment




04 White
Matted 10% Shine



05 Black
Matted 10% Shine




06 Anthracite
Matted 10% Shine



07 Perlmut Matted
Matted 10% Shine



08 Gunmetal
Matted



09 Waterblue
Matted



14 Traffic White
High Gloss




15 Jet Black
High Gloss



16 Anthracite
High Gloss



17 Red
High Gloss



18 Gunmetal
High Gloss



71 Red Copper
High Gloss



72 Platinum
High Gloss

Color Swatches



36 Oxidated Iron



30 Bronze




32 Industrial
Concrete



24 Traffic White



25 Black



28 Concrete



40 True Taupe



38 Gorgeous
Green



73 Red Copper
Flakes



74 Platinum
Flakes



34 Industrial Iron



61 Gold
Leaf




62 Red Copper
Leaf



63 Silver
Leaf

*Actual colors may vary slightly.

Projects



Projects





LA LINIA LIGHTING

Nexus (Aluminium Series)

Nexus

Aluminium Series



Nexus Series

The La Linia Nexus series includes a number of handmade aluminum lightfixtures that are available in a wide variety of shapes, sizes and finishes.

Ring of Light Nexus

Modern, handmade ringluminaire with a width of 50 mm and a height of 60 mm. Can be fitted with 2700K, 3000K and 4000K LED modules. Optionally equipped with direct and/or indirect lighting

Ring of Light Nexus Slim

An extra narrow ring luminaire with a width of 40mm and a height of 60mm. Create beautiful compositions with an arrangement of the Ring of Light Nexus Slim, by combining different sizes.

Nexus Beam

The Nexus Beam is a LEDLine fixture that can be placed in a suspended position, available in various widths and lengths. Manufactured from thick-walled aluminum for proper cooling of the LED modules.

Nexus Square


The Nexus Square is an aluminum square or rectangular fixture, which is also very suitable for workplaces due to the high lumenoutput.

LED


Our high-quality LED boards produced in the Netherlands have an efficiency of 135 lumens per Watt, a CRI of 90+ and a standard warranty period of 5 years. Combined with high quality MEANWELL LEDdrivers we deliver a high quality range of LED lighting fixtures

Color Swatches


Nexus series



RAL 7021



ANTIQUE SILVER



RAL 9005




BRUSHED COPPER



GOLD



BRUSHED SILVER




COPPER




BRUSHED GOLD



BRONZE



GOLD LEAF



COPPERBRONZE




COPPERFOIL

Product Specifications

Nexus



■ Model:
NEXUS40030060



■ Outer Diameter:
400mm

■ Inner Diameter:
300mm

■ Height:
60mm

■ LED Power:
15W

■ Luminous Flux:
2.025lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS50040060



■ Outer Diameter:
500mm

■ Inner Diameter:
400mm

■ Height:
60mm

■ LED Power:
20W

■ Luminous Flux:
2.700lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS60050060



■ Outer Diameter:
600mm

■ Inner Diameter:
500mm

■ Height:
60mm

■ LED Power:
26W

■ Luminous Flux:
3.510lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic



Product Specifications

Nexus

■ Model:
NEXUS70060060



■ Outer Diameter:
700mm

■ Inner Diameter:
600mm

■ Height:
60mm

■ LED Power:
31W

■ Luminous Flux:
4.185lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS80070060



■ Outer Diameter:
800mm

■ Inner Diameter:
700mm

■ Height:
60mm

■ LED Power:
35W

■ Luminous Flux:
4.725lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS90080060



■ Outer Diameter:
900mm

■ Inner Diameter:
800mm

■ Height:
60mm

■ LED Power:
40W

■ Luminous Flux:
5.200lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Nexus



■ Model:
NEXUS100090060



■ Outer Diameter:
1000mm

■ Inner Diameter:
900mm

■ Height:
60mm

■ LED Power:
44W

■ Luminous Flux:
5.940lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS1200110060



■ Outer Diameter:
1200mm

■ Inner Diameter:
1100mm

■ Height:
60mm

■ LED Power:
53W

■ Luminous Flux:
7.155lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS1400130060



■ Outer Diameter:
1400mm

■ Inner Diameter:
1300mm

■ Height:
60mm

■ LED Power:
62W

■ Luminous Flux:
8.370lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Projects



Projects






Product Specifications

Nexus

■ Model:
NEXUS1500140060



■ Outer Diameter:
1500mm

■ Inner Diameter:
1400mm

■ Height:
60mm

■ LED Power:
66W

■ Luminous Flux:
8.910lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS1600150060



■ Outer Diameter:
1600mm

■ Inner Diameter:
1500mm

■ Height:
60mm

■ LED Power:
70W

■ Luminous Flux:
9.450lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS1800170060



■ Outer Diameter:
1800mm

■ Inner Diameter:
1700mm

■ Height:
60mm

■ LED Power:
80W

■ Luminous Flux:
10.800lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Nexus



■ Model:
NEXUS2000190060



■ Outer Diameter:
2000mm

■ Inner Diameter:
1900mm

■ Height:
60mm

■ LED Power:
90W

■ Luminous Flux:
12.150lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS2200210060



■ Outer Diameter:
2200mm

■ Inner Diameter:
2100mm

■ Height:
60mm

■ LED Power:
100W

■ Luminous Flux:
13.365lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUS2400230060



■ Outer Diameter:
2400mm

■ Inner Diameter:
2300mm

■ Height:
60mm

■ LED Power:
110W

■ Luminous Flux:
14.850lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic



LA LINIA LIGHTING

Nexus Slim (Aluminum Series)

Nexus Slim



Nexus Slim




Product Specifications

Nexus Slim



■ Model:
NEXUSSLIM400



■ Outer Diameter:
400mm

■ Inner Diameter:
320mm

■ Height:
60mm

■ LED Power:
15W

■ Luminous Flux:
2.025lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM500



■ Outer Diameter:
500mm

■ Inner Diameter:
420mm

■ Height:
60mm

■ LED Power:
20W

■ Luminous Flux:
2.700lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM600



■ Outer Diameter:
600mm

■ Inner Diameter:
520mm

■ Height:
60mm

■ LED Power:
26W

■ Luminous Flux:
3.510lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic



Product Specifications

Nexus Slim

■ Model:
NEXUSSLIM700



■ Outer Diameter:
700mm

■ Inner Diameter:
620mm

■ Height:
60mm

■ LED Power:
31W

■ Luminous Flux:
4.185lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM800



■ Outer Diameter:
800mm

■ Inner Diameter:
720mm

■ Height:
60mm

■ LED Power:
35W

■ Luminous Flux:
4.725lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM900



■ Outer Diameter:
900mm

■ Inner Diameter:
820mm

■ Height:
60mm

■ LED Power:
40W

■ Luminous Flux:
5.500lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Slim



■ Model:
NEXUSSLIM1000



■ Outer Diameter:
1000mm

■ Inner Diameter:
920mm

■ Height:
60mm

■ LED Power:
44W

■ Luminous Flux:
5.940lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM1200



■ Outer Diameter:
1200mm

■ Inner Diameter:
1120mm

■ Height:
60mm

■ LED Power:
53W

■ Luminous Flux:
7.155lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM1400



■ Outer Diameter:
1400mm

■ Inner Diameter:
1320mm

■ Height:
60mm

■ LED Power:
62W

■ Luminous Flux:
8.370lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Projects




Projects



Product Specifications

Nexus Slim

■ Model:
NEXUSSLIM1500



■ Outer Diameter:
1500mm

■ Inner Diameter:
1420mm

■ Height:
60mm

■ LED Power:
66W

■ Luminous Flux:
8.910lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM1600



■ Outer Diameter:
1600mm

■ Inner Diameter:
1520mm

■ Height:
60mm

■ LED Power:
70W

■ Luminous Flux:
9.450lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM1800



■ Outer Diameter:
1800mm

■ Inner Diameter:
1720mm

■ Height:
60mm

■ LED Power:
80W

■ Luminous Flux:
10.800lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Slim



■ Model:
NEXUSSLIM2000



■ Outer Diameter:
2000mm

■ Inner Diameter:
1920mm

■ Height:
60mm

■ LED Power:
90W

■ Luminous Flux:
12.150lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM2200



■ Outer Diameter:
2200mm

■ Inner Diameter:
2120mm

■ Height:
60mm

■ LED Power:
100W

■ Luminous Flux:
13.365lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSLIM2400



■ Outer Diameter:
2400mm

■ Inner Diameter:
2320mm

■ Height:
60mm

■ LED Power:
110W

■ Luminous Flux:
14.850lm

■ Color Temperature:
2700K, 3000K, 4000K,
TUNABLE WHITE, RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic



LA LINIA LIGHTING

Ring of Light Zero

Ring of Light Zero



The Ring of Light Zero is a minimalist design fixture, you don't need a giant luminaire to enjoy great lighting! Handmade out of high-grade aluminium, bend, welded and painted in our factory, the Zero is the latest addition to our Ring of Light series.


With a very compact/slim profile, this Ring of Light stands out from the crowd.

Combine multiple sizes as the grand chandelier, or use single rings as a design statement, use our lighting as you see fit! Dimensions ranging from 400mm to 2000mm.

The Ring of Light Zero is available with inward and outward lighting. The Zero X offers inward lighting, as the Zero Y has outward lighting.

Color Swatches


Ring of Light Zero



RAL 7021



ANTIQUE SILVER



RAL 9005



BRUSHED COPPER



GOLD



BRUSHED SILVER



COPPER



BRUSHED GOLD



BRONZE



GOLD LEAF




COPPERBRONZE



COPPERFOIL

Ring of Light Zero






Product Specifications

Zero X (Inward Lighting)

■ Model:
ZEROX600



■ Outer Diameter:
600mm

■ Height:
18mm

■ LED Power:
18W

■ Luminous Flux:
1.410lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX700



■ Outer Diameter:
700mm

■ Height:
18mm

■ LED Power:
21W

■ Luminous Flux:
1.640lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX800



■ Outer Diameter:
800mm

■ Height:
18mm

■ LED Power:
24W

■ Luminous Flux:
1.880lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Zero X (Inward Lighting)



■ Model:
ZEROX900



■ Outer Diameter:
900mm

■ Height:
18mm

■ LED Power:
27W

■ Luminous Flux:
2.115lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX1000



■ Outer Diameter:
1000mm

■ Height:
18mm

■ LED Power:
30W

■ Luminous Flux:
2.355lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX1200



■ Outer Diameter:
1200mm

■ Height:
18mm

■ LED Power:
36W

■ Luminous Flux:
2.825lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic



Product Specifications

Zero X (Inward Lighting)

■ Model:
ZEROX1400



■ Outer Diameter:
1400mm

■ Height:
18mm

■ LED Power:
44W

■ Luminous Flux:
3.520lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX1600



■ Outer Diameter:
1600mm

■ Height:
18mm

■ LED Power:
50W

■ Luminous Flux:
4.000lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROX2000



■ Outer Diameter:
2000mm

■ Height:
18mm

■ LED Power:
63W

■ Luminous Flux:
5.000lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Zero Y (Outward Lighting)



■ Model:
ZEROY600



■ Outer Diameter:
600mm

■ Height:
18mm

■ LED Power:
18W

■ Luminous Flux:
1.410lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY700



■ Outer Diameter:
700mm

■ Height:
18mm

■ LED Power:
21W

■ Luminous Flux:
1.640lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY800



■ Outer Diameter:
800mm

■ Height:
18mm

■ LED Power:
24W

■ Luminous Flux:
1.880lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING



■ Material:
Aluminium / Acrylic



Product Specifications

Zero Y (Outward Lighting)

■ Model:
ZEROY900



■ Outer Diameter:
900mm

■ Height:
18mm

■ LED Power:
27W

■ Luminous Flux:
2.115lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB



■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY1000



■ Outer Diameter:
1000mm

■ Height:
18mm

■ LED Power:
30W

■ Luminous Flux:
2.355lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB



■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY1200



■ Outer Diameter:
1200mm

■ Height:
18mm

■ LED Power:
36W

■ Luminous Flux:
2.825lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Zero Y (Outward Lighting)



■ Model:
ZEROY1400



■ Outer Diameter:
1400mm

■ Height:
18mm

■ LED Power:
44W

■ Luminous Flux:
3.520lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY1600



■ Outer Diameter:
1600mm

■ Height:
18mm

■ LED Power:
50W

■ Luminous Flux:
4.000lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
ZEROY2000



■ Outer Diameter:
2000mm

■ Height:
18mm

■ LED Power:
63W

■ Luminous Flux:
5.000lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic



LA LINIA LIGHTING


Nexus Beam (Aluminum Series)

Product Specifications

Nexus Beam 30x30



■ Model:
NEXUSBEAM10003030



■ Length:
1000mm

■ Width / Height:
30mm / 30mm

■ LED Power:
12W

■ Luminous Flux:
1.620lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSBEAM20003030



■ Length:
2000mm

■ Width / Height:
30mm / 30mm

■ LED Power:
24W

■ Luminous Flux:
3.240lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSBEAM30003030



■ Length:
3000mm

■ Width / Height:
30mm / 30mm

■ LED Power:
36W

■ Luminous Flux:
4.860lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell


■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Beam 30x30

■ Model:
NEXUSBEAM40003030



■ Length:
4000mm

■ Width / Height:
30mm / 30mm

■ LED Power:
48W

■ Luminous Flux:
6.480lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSBEAM50003030



■ Length:
5000mm

■ Width / Height:
30mm / 30mm

■ LED Power:
60W

■ Luminous Flux:
8.100lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Beam 41x41



■ Model:
NEXUSBEAM10004141



■ Length:
1000mm

■ Width / Height:
41mm / 41mm

■ LED Power:
12W

■ Luminous Flux:
1.620lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSBEAM20004141



■ Length:
2000mm

■ Width / Height:
41mm / 41mm

■ LED Power:
24W

■ Luminous Flux:
3.240lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSBEAM30004141



■ Length:
3000mm

■ Width / Height:
41mm / 41mm

■ LED Power:
36W

■ Luminous Flux:
4.860lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic



Product Specifications

Nexus Beam 41x41

■ Model:
NEXUSBEAM40004141



■ Length:
4000mm

■ Width / Height:
41mm / 41mm

■ LED Power:
48W

■ Luminous Flux:
6.480lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSBEAM50004141



■ Length:
5000mm

■ Width / Height:
41mm / 41mm

■ LED Power:
60W

■ Luminous Flux:
8.100lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Beam 41x64



■ Model:
NEXUSBEAM10004164



■ Length:
1000mm

■ Width / Height:
41mm / 64mm

■ LED Power:
12W

■ Luminous Flux:
1.620lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSBEAM20004164



■ Length:
2000mm

■ Width / Height:
41mm / 64mm

■ LED Power:
24W

■ Luminous Flux:
3.240lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSBEAM30004164



■ Length:
3000mm

■ Width / Height:
41mm / 64mm

■ LED Power:
36W

■ Luminous Flux:
4.860lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic



Product Specifications

Nexus Beam 41x64

■ Model:
NEXUSBEAM40004164



■ Length:
4000mm

■ Width / Height:
41mm / 64mm

■ LED Power:
48W

■ Luminous Flux:
6.480lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSBEAM50004164



■ Length:
5000mm

■ Width / Height:
41mm / 64mm

■ LED Power:
60W

■ Luminous Flux:
8.100lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ Build in LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic



LA LINIA LIGHTING

Nexus Square (Aluminum Series)






Product Specifications

Nexus Square

■ Model:
NEXUSSQ300x3004141



■ Outer Size:
300x300mm

■ Width / Height:
41mm / 41mm

■ LED Power:
14W

■ Luminous Flux:
1.944lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSQ400x4004141



■ Outer Size:
400x400mm

■ Width / Height:
41mm / 41mm

■ LED Power:
19W

■ Luminous Flux:
2.592lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSQ500x5004141



■ Outer Size:
500x500mm

■ Width / Height:
41mm / 41mm

■ LED Power:
24W

■ Luminous Flux:
3.240lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Square



■ Model:
NEXUSSQ600x6004141



■ Outer Size:
600x600mm

■ Width / Height:
41mm / 41mm

■ LED Power:
29W

■ Luminous Flux:
3.888lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSQ700x7004141



■ Outer Size:
700x700mm

■ Width / Height:
41mm / 41mm

■ LED Power:
34W

■ Luminous Flux:
4.536lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSQ800x8004141



■ Outer Size:
800x800mm

■ Width / Height:
41mm / 41mm

■ LED Power:
38W

■ Luminous Flux:
5.184lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic



Product Specifications

Nexus Square

■ Model:
NEXUSSQ1000x10004141



■ Outer Size:
1000x1000mm

■ Width / Height:
41mm / 41mm

■ LED Power:
48W

■ Luminous Flux:
6.480lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSQ1200x12004141



■ Outer Size:
1200x1200mm

■ Width / Height:
41mm / 41mm

■ LED Power:
58W

■ Luminous Flux:
7.776lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSQ1400x14004141



■ Outer Size:
1400x1400mm

■ Width / Height:
41mm / 41mm

■ LED Power:
67W

■ Luminous Flux:
9.072lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic

Product Specifications

Nexus Square



■ Model:
NEXUSSQ3000x30004141



■ Outer Size:
3000x3000mm

■ Width / Height:
41mm / 41mm

■ LED Power:
144W

■ Luminous Flux:
19.440lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSQ4000x40004141



■ Outer Size:
4000x4000mm

■ Width / Height:
41mm / 41mm

■ LED Power:
195W

■ Luminous Flux:
25.920lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSSQ5000x50004141



■ Outer Size:
5000x5000mm

■ Width / Height:
41mm / 41mm

■ LED Power:
240W

■ Luminous Flux:
32.400lm

■ Color Temperature:
2700K
3000K
4000K

TUNABLE WHITE
RGB

■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING


■ Material:
Aluminium / Acrylic



Product Specifications

Nexus Rectangle

■ Model:
NEXUSRE1000x4004141



■ Outer Size:
1000x400mm

■ Width / Height:
41mm / 41mm

■ LED Power:
34W

■ Luminous Flux:
4.534lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSRE1500x6004141



■ Outer Size:
1500x600mm

■ Width / Height:
41mm / 41mm

■ LED Power:
50W

■ Luminous Flux:
6.804lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB


■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

■ Model:
NEXUSRE2000x9004141



■ Outer Size:
2000x900mm

■ Width / Height:
41mm / 41mm

■ LED Power:
70W

■ Luminous Flux:
9.396lm

■ Color Temperature:
2700K
3000K
4000K
TUNABLE WHITE
RGB

■ CRI:
90+

■ LED Driver:
Meanwell

■ Dimmable:
On request
DALI, TRIAC
LA LINIA DIMMING

■ Material:
Aluminium / Acrylic

Projects





LA LINIA LIGHTING

Pendant & Ceiling Lamp

Pendant & Ceiling Lamp

A lampshade is just a lampshade. True and false.

The basic principle of a lampshade is the same for all manufacturers. It's the years of experience and countless fabric options that make all the difference!

The functionality of our cutting and finishing machines also play a major role, but the most important part is undoubtedly all the manual work.

We can offer you more than 25 years of experience in the making of lampshades, around 800 different fabrics and plastics in stock, the most advanced cutting machine that performs multiple tasks in a row and many hands that are very happy to make the most beautiful lampshades for you!

Possible in any size from 6cm to 500cm, 15 pieces to 1000 pieces. Cone, round, square, triangle, basically any shape you can imagine!

Contact us about our surprising possibilities!



Projects



Projects



FERRERO
ROCHER

LA LINIA LIGHTING

Printed Lampshade



Printed Lampshade

Get noticed! Your own design, your own logo, signage in a library or store, advertising above your product. Everything is possible with us.

In fact, this is our greatest strength!

Decades of experience in the making of shades, our own design studio and access to the most advanced UV Printers. These are the key parts to your printed lampshade.

We can make the full design for you, but we're also happy to collaborate and get to the intended result together. It doesn't matter how much effort we have to put into it, we always aim to give you the perfect product and make everyone happy.

This is the ultimate way to customize your wishes, and with our great craftsmanship and passion for lampshades, we're more than happy to work with you or your designers.

All prints are possible on plain fabric, different synthetic- and fire retardant materials (certificate included). Double sided printing is also possible.

Contact us about the possibilities and surprising prices!



Projects



Projects





LA LINIA LIGHTING

Acoustishade

Last, but not least; our acoustic hanging lamps.

Due to current building designs, lots of glass, stone and hard floors, many new buildings are experiencing acoustic problems. The sound echos (reverberation) and it is difficult for people to understand each other.

Our acoustic hanging lampshades, made from natural wool felt with excellent acoustic properties, are a proven success. An additional advantage is the fire retardancy (FR) and the recyclability of this material.

The wool felt is laminated on both the outside and the inside of the lamp and the colors for both sides can be selected individually.

With the choice of multiple naturally colored wool felts, this kind of lamp can solve part of your acoustics problem.




FLAME RETARDANT





Product Specifications

■ Art No:
AcousticShade 400500300




■ Top Diameter:
400mm

■ Bottom Diameter:
500mm

■ Height:
300mm

■ Suspension & Socket:
Electrical cord 2000 mm
1x E27 socket

■ Art No:
AcousticShade 500700500




■ Top Diameter:
500mm

■ Bottom Diameter:
700mm

■ Height:
500mm

■ Suspension & Socket:
Electrical cord 2000 mm
1x E27 socket

■ Art No:
AcousticShade 600800500




■ Top Diameter:
600mm

■ Bottom Diameter:
800mm

■ Height:
500mm

■ Suspension & Socket:
Electrical cord 2000 mm
1x E27 socket

■ Art No:
AcousticShade 7001000500




■ Top Diameter:
700mm

■ Bottom Diameter:
1000mm

■ Height:
500mm

■ Suspension & Socket:
3x Adjustable Steelcables
2000 mm + 3x E27 socket

■ Art No:
AcousticShade 8001100500




■ Top Diameter:
800mm

■ Bottom Diameter:
1100mm

■ Height:
500mm

■ Suspension & Socket:
3x Adjustable Steelcables
2000 mm + 3x E27 socket

■ Art No:
AcousticShade 10001400600



■ Top Diameter:
1000mm

■ Bottom Diameter:
1400mm


■ Height:
600mm

■ Suspension & Socket:
3x Adjustable Steelcables
2000 mm + 3x E27 socket

Product Specifications



■ Art No:
AcousticShade 500250




■ Diameter:
500mm

■ Height:
250mm

■ Suspension & Socket:
Electrical cord 2000 mm
1x E27 socket

■ Art No:
AcousticShade 600300




■ Diameter:
600mm

■ Height:
300mm

■ Suspension & Socket:
Electrical cord 2000 mm
1x E27 socket

■ Art No:
AcousticShade 800350




■ Diameter:
800mm

■ Height:
350mm

■ Suspension & Socket:
Electrical cord 2000 mm
1x E27 socket

■ Art No:
AcousticShade 1000400




■ Diameter:
1000mm

■ Height:
400mm

■ Suspension & Socket:
3x Adjustable Steelcables
2000 mm + 3x E27 socket

■ Art No:
AcousticShade 1200450




■ Diameter:
1200mm

■ Height:
450mm

■ Suspension & Socket:
3x Adjustable Steelcables
2000 mm + 3x E27 socket

■ Art No:
AcousticShade 1500500




■ Diameter:
1500mm

■ Height:
500mm

■ Suspension & Socket:
3x Adjustable Steelcables
2000 mm + 3x E27 socket

Projects



Color Swatches



7 Pebble



22 Maize



24 Yellow



41 Lightblue



45 Blue




50 Mint



52 Pistachio



56 Petrol



67 Anthracite



74 Aubergine



77 Fuchsia



124 Shitake



129 Mandarin



139 Fire




143 Aqua



144 Azure




147 Ocean




180 Dolphin




1000 Light Grey




1001 Mid Grey



1003 Black




1007 Navy



1037 Beige



2011 Red



2012 Orange

*Actual colors may vary slightly.

AcoustiRing

AcoustiRing

The AcoustiRing combines design with functionality, the AcoustiRing has a high quality integrated LEDmodule. Rated at 140 lm/W with a CRI of 90+. These LEDmodules are made in The Netherlands on heat dispensing aluminium LEDboards.

The design is based on our Ring of Light IQ

Acoustic absorption,

The outside and inside of the AcoustiRing are upholstered in a woolfelt, this woolfelt consists of 100% recycled woollen yarns, carded from regenerated post-consumer wool like clothing and other products

Our woolfelt consist of 100% recycled woollen yarns




Sizes

Our AcoustiRing is made to order, diameters vary from 400mm to 2400mm. Please contact us for more information



Projects





LA LINIA LIGHTING

Industrial



Open shapes, tough and edgy lamps, weathering steel look, large bolts and screws. These are all parts of an industrial lamp design.

Due to the open design of these lamps, there is often direct eye contact with the light source. That is why a glare-free lamp is often used in industrial lighting.

Sober lighting in a rough, pure style.



These lamps are often fitted with a textile covered wire. Available in many different colors and styles!

With our modern bending and rolling machines, we bring this style of lighting back to basic. A surprising combination of tough and lively!

Projects




Projects




Projects



Projects





LA LINIA LIGHTING

Neoned & Specials

Neonled & Specials



LED has positively changed the lighting world. By applying LED correctly, elegant and slimmer luminaires can be produced, which definitely benefits the design.

A good example of this is our own Ring of Light IQ line, which, with a luminaire height of only 8cm, is 100% evenly illuminated by our LED modules.

The illumination of LED is very beautiful and the possibilities are almost endless. Our LEDs usually work on a low voltage of up to 30 Volts and are perfectly dimmable. RGB LED gives the option to mix different colors and can also be used in combination with warm white.

Tunable white offers the possibility to change the color temperature, very smoothly from cold white to warm white.

The NEONLED system provides an additional set of design options. It essentially allows you to draw with the colored light strings and create any shape, words, or design you desire.

We are happy to share our knowledge with you.



Projects



Projects





LA LINIA LIGHTING

La Linia Proline

La Linia Proline



New techniques are gradually taking over the well-known textile hanging lamp, so we developed a product that will bring textile lighting back on the market! The LLProline series is a technical masterpiece with a textile finish if desired.

By using high-efficiency LED modules, the LLProline can be used as basic lighting, as well as atmospheric mood lighting.

On our modern CNC-controlled flatbed milling machine, we create the top plate of the lamp from 3mm aluminum composite plate. This plate is used to mount the lighting system and also serves as a heat sink for the high-efficiency LED lighting. The controls/drivers from Meanwell and dim modules (DALI, TRIAC, Triac) are also installed on this plate, as well as the steel cables for mounting the completed construction to the ceiling.

After this, the bottom plates/diffusers of 3mm acrylic are milled on the same milling machine.

Depending on the size and type of the lamp, a different type of diffuser is made. These types of diffusers are made by bending and welding aluminum profiles and finished by stretching a lightweight tension foil over it.

The bottom plates ensure that the illumination is completely even and diffused. This means that the special LED diffuser creates a 100% uniform illumination with a light transmission of no less than 80%.



La Linia Proline

We then cut the desired textile to size on our Zünd cutting plotter. This piece of material is then fixed in place with two steel rings, between the top and bottom plate.

There are many advantages to the LLProline lighting system. It's a one-time investment, high quality European LED's that guarantee low energy consumption, extremely high CRI values (color rendering) and high light output.

The LLProline series is equipped with a fitting LED system, based on the size of the lamp. Since we execute every step of the process ourselves, we can make small changes based on your needs and wishes. For example by adding additional LED modules and thus creating an even higher light output.

Our LED system has a very long lifespan with very low loss of light quality during its lifetime. After the LLProline system is installed, the textile cover can easily be changed. This can be very useful when changing interior styles, seasonal advertisements or special events.





The high-quality LLProline system can be adapted to all your lighting requirements.

For instance, dimmable LEDs that can be controlled with an app or remote control. Dimmable LEDs can also be linked to your domotics system or DALI system, for perfectly controlled building light management.

You could also wish for an RGBW LED system, which can give you normal white light during the day, but can change color in the evening to create an atmospheric environment.

Another option could be TUNABLE WHITE. This is LED lighting with adjustable color temperatures and is often used, for example, in healthcare to simulate a day/night cycle for patients who are unable to go outside

Another way to fully customize the lamp to your needs is to add texts or photos. This can be done by choosing to print on the fabric or adding removable decals to the existing lamp. This way of customization can be very useful for advertising at trade fairs or lighting at shopping malls that changes with the season.

All in all, an unlimited amount of possibilities in a technically excellent light experience.

Projects




Projects



Cylinder

■ Model:
Cylinder 600



■ Outer Diameter:
600mm

■ Available Heights:
150mm 200mm
250mm 300mm
400mm 500mm

■ Cables:
3x Steel

■ LED Power:
14W

■ Luminous Flux:
2.000lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
Cylinder 800



■ Outer Diameter:
800mm

■ Available Heights:
150mm 200mm
250mm 300mm
400mm 500mm

■ Cables:
3x Steel

■ LED Power:
42W

■ Luminous Flux:
6.100lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
Cylinder 1000



■ Outer Diameter:
1000mm

■ Available Heights:
150mm 200mm
250mm 300mm
400mm 500mm

■ Cables:
3x Steel

■ LED Power:
56W

■ Luminous Flux:
8.100lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3

■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC


■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

Cylinder



■ Model:
Cylinder 1200



■ Outer Diameter:
1200mm

■ Available Heights:
150mm 200mm
250mm 300mm
400mm 500mm

■ Cables:
3x Steel

■ LED Power:
84W

■ Luminous Flux:
12.000lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
Cylinder 1400



■ Outer Diameter:
1400mm

■ Available Heights:
200mm 250mm
300mm 400mm
500mm

■ Cables:
4x Steel

■ LED Power:
112W

■ Luminous Flux:
16.200lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
Cylinder 1800



■ Outer Diameter:
1800mm

■ Available Heights:
200mm 250mm
300mm 400mm
500mm

■ Cables:
4x Steel

■ LED Power:
140W

■ Luminous Flux:
20.300lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3

■ Build in LED Driver:
Meanwell


■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

Cylinder

■ Model:
Cylinder 2000



■ Outer Diameter:
2000mm

■ Available Heights:
250mm 300mm
400mm 500mm

■ Cables:
6x Steel

■ LED Power:
168W

■ Luminous Flux:
24.300lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
Cylinder 2200



■ Outer Diameter:
2200mm

■ Available Heights:
250mm 300mm
400mm 500mm

■ Cables:
8x Steel

■ LED Power:
196W

■ Luminous Flux:
28.400lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
Cylinder 2500



■ Outer Diameter:
2500mm

■ Available Heights:
250mm 300mm
400mm 500mm

■ Cables:
8x Steel

■ LED Power:
224W

■ Luminous Flux:
32.500lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3

■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC


■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

Ring of Light Pro



■ Model:
ROL Pro 600400



■ Outer - Inner Diameter:
600mm - 400mm

■ Available Heights:
150mm 200mm
250mm 300mm

■ Cables:
3x Steel

■ LED Power:
18,4W

■ Luminous Flux:
2.700lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
ROL Pro 800500



■ Outer - Inner Diameter:
800mm - 500mm

■ Available Heights:
150mm 200mm
250mm 300mm

■ Cables:
3x Steel

■ LED Power:
24W

■ Luminous Flux:
3.500lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
ROL Pro 1000700



■ Outer - Inner Diameter:
1000mm - 700mm

■ Available Heights:
150mm 200mm
250mm 300mm
400mm 500mm

■ Cables:
3x Steel

■ LED Power:
36W

■ Luminous Flux:
5.250lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3

■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC


■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC



Ring of Light Pro

■ Model:
ROL Pro 1200800



■ Outer - Inner Diameter:
1200mm - 800mm

■ Available Heights:
150mm 200mm
250mm 300mm
400mm 500mm

■ Cables:
3x Steel

■ LED Power:
48W

■ Luminous Flux:
7.000lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
ROL Pro 14001000



■ Outer - Inner Diameter:
1400mm - 1000mm

■ Available Heights:
200mm 250mm
300mm 400mm
500mm

■ Cables:
4x Steel

■ LED Power:
72W

■ Luminous Flux:
10.500lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
ROL Pro 18001400



■ Outer - Inner Diameter:
1800mm - 1400mm

■ Available Heights:
200mm 250mm
300mm 400mm
500mm

■ Cables:
6x Steel

■ LED Power:
96W

■ Luminous Flux:
14.000lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3

■ Build in LED Driver:
Meanwell


■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

Ring of Light Pro

■ Model:
ROL Pro 20001600



■ Outer - Inner Diameter:
2000mm - 1600mm

■ Available Heights:
200mm 250mm
300mm 400mm
500mm

■ Cables:
8x Steel

■ LED Power:
120W

■ Luminous Flux:
17.500lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3


■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC

■ Model:
ROL Pro 23001900



■ Outer - Inner Diameter:
2300mm - 1900mm

■ Available Heights:
200mm 250mm
300mm 400mm
500mm

■ Cables:
8x Steel

■ LED Power:
144W

■ Luminous Flux:
21.000lm

■ Color Temperature:
2700K, 3000K, 4000K

■ CRI:
90+

■ MacAdams (SDCM):
< 3

■ Build in LED Driver:
Meanwell

■ Dimmable:
TRIAC

■ Top Plate:
ALU WHITE

■ Base Plate:
Opal Textile/PVC



Contact Information

La Linia Lighting

Binnenhaven 20
7547BH Enschede
The Netherlands

T:+31(0)53-4300551

E: info@lalinia.nl

www.lalinia.nl

